

# MAXPIPE

*Product Catalogue*



# MAXPIPE

**PVC Waste Water Pipes & Fittings**

---

**01-04**

**PPR-C Pipes & Fittings**

---

**05-11**

**PE Ratchet Sprinkler Irrigation Pipes & Fittings**

---

**12-14**

**U- PVC Pressure Clean Water Pipes**

---

**15**

**PE 100 Polyethylene Pipes**

---

**16-17**

**CONTENTS**

# MAXPIPE

## PVC

### Waste Water Pipes & Fittings



# MAXPIPE

## PVC Waste Water Pipes & Fittings

### MAX PVC Waste Water Pipes (3.2) Type-1

Diameter/Length (mm)	Packing (unit)
50/150	100
50/250	75
50/500	40
50/1000	10
50/2000	10
50/3000	10
50/6000	1
75/150	50
75/250	35
75/500	18
75/1000	5
75/2000	5
75/3000	5
75/6000	1
110/150	25
110/250	16
110/500	8
110/1000	5
110/2000	5
110/3000	5
110/6000	1
125/150	15
125/250	12
125/500	6
125/1000	3
125/2000	3
125/3000	3
125/6000	1
160/500	1
160/1000	1
160/2000	1
160/3000	1
160/6000	1
200/500	1
200/1000	1
200/2000	1
200/3000	1
200/6000	1



### MAX PVC Waste Water Pipes (2.2) Type-2

Diameter/Length (mm)	Packing (unit)
50/150	100
50/250	75
50/500	40
50/1000	10
50/2000	10
50/3000	10
50/6000	1
75/150	50
75/250	35
75/500	18
75/1000	5
75/2000	5
75/3000	5
75/6000	1
110/150	25
110/250	16
110/500	8
110/1000	5
110/2000	5
110/3000	5
110/6000	1
125/150	15
125/250	12
125/500	6
125/1000	3
125/2000	3
125/3000	3
125/6000	1
160/500	1
160/1000	1
160/2000	1
160/3000	1
160/6000	1
200/500	1
200/1000	1
200/2000	1
200/3000	1
200/6000	1



# MAXPIPE

## PVC Waste Water Pipes & Fittings

### MAX PVC Elbow 87°

Size / Type (mm)	Packing (unit)
50x87	150
75x87	65
110x87	25
125x87	20
160x87	10
200x87	4



### MAX PVC Elbow 45°

Size / Type (mm)	Packing (unit)
50x45	175
75x45	75
110x45	30
125x45	25
160x45	15
200x45	8



### MAX PVC Tee Branch 87°

Size / Type (mm)	Packing (unit)
50x50	80
75x50	50
75x75	35
110x50	25
110x75	20
110x100	15
125x50	10
125x75	10
125x110	5
125x125	5
160x110	5
160x125	5
160x160	5
200x110	4
200x125	4
200x160	4
200x200	4



### MAX PVC Y- Branch 45°

Size / Type (mm)	Packing (unit)
50x50	80
75x50	45
75x75	30
110x50	20
110x75	15
110x100	10
125x50	10
125x75	10
125x110	10
125x125	10
160x110	5
160x125	5
160x160	5
200x110	4
200x125	4
200x160	4
200x200	4



### MAX PVC Socket

Size / Type (mm)	Packing (unit)
50	180
75	80
110	40
125	30
160	20
200	10



### MAX PVC Reducer

Size / Type (mm)	Packing (unit)
75x50	110
110x50	55
110x75	50
125x75	40
125x110	25
160x110	25
160x125	20
200x110	15
200x125	10
200x160	10



# MAXPIPE

## PVC Waste Water Pipes & Fittings

### MAX PVC Cleaning Tee

Size / Type (mm)	Packing (unit)
50	100
75	35
110	15



### MAX PVC "S" Siphon 45°

Size / Type (mm)	Packing (unit)
75x45	20
110x45	10



### MAX PVC Double Branch 45°

Size / Type (mm)	Packing (unit)
50x50	50
75x75	20
110x110	10
125x125	5
160x160	4
200x200	4



### MAX PVC Socket Plug

Size / Type (mm)	Packing (unit)
50	500
75	400
110	150
125	100
160	70
200	30



### MAX PVC Pipe Clamp

Size / Type (mm)	Packing (unit)
50	150
75	200
110	100
125	100
160	100



### MAX PVC Waste Water Seal


Size / Type (mm)	Packing (unit)
50	1
75	1
110	1
125	1
160	1
200	1



# MAXPIPE

## PPR-C

### Pipes & Fittings



# MAXPIPE

## PPR-C Pipes & Fittings

### MAX PPR-C Pipe PN 16

Size / Type (mm)	Packing (unit)
20-2,8	120
25-3,5	100
32-4,4	60
40-5,5	32
50-6,9	20
63-8,6	16



### MAX PPR-C Pipe PN 20

Size / Type (mm)	Packing (unit)
20-3,4	120
25-4,2	100
32-5,4	60
40-6,7	32
50-8,3	20
63-10,5	16



### MAX PPR-C Glass Fiber Reinforced Composite Pipe PN 20

Size / Type (mm)	Packing (unit)
20-2,8	120
25-3,5	100
32-4,4	60
40-5,5	32
50-6,9	20
63-8,6	16



### MAX PPR-C Glass Fiber Reinforced Composite Pipe PN 25

Size / Type (mm)	Packing (unit)
20-3,4	120
25-4,2	100
32-5,4	60
40-6,7	32
50-8,3	20
63-10,5	16



### MAX PPR-C Elbow 90°

Size / Type (mm)	Packing (unit)
20	420
25	300
32	160
40	80
50	48
63	24



### MAX PPR-C Elbow 45°

Size / Type (mm)	Packing (unit)
20	600
25	400
32	180
40	120
50	60
63	30






# MAXPIPE

## PPR-C Pipes & Fittings

### MAX PPR-C Socket

Size / Type (mm)	Packing (unit)
20	800
25	420
32	240
40	160
50	80
63	54



### MAX PPR-C Tee

Size / Type (mm)	Packing (unit)
20	320
25	240
32	120
40	60
50	42
63	24



### MAX PPR-C Reducer

Size / Type (mm)	Packing (unit)
25x20	800
32x20	400
32x25	400
40x25	240
40x32	180
50x32	150
50x40	120
63x40	70
63x50	50



### MAX PPR-C Inegal Tee

Size / Type (mm)	Packing (unit)
25x20x25	180
25x25x20	150
32x20x20	100
32x20x32	90
32x25x25	100
32x25x32	90
40x25x40	80
40x32x40	80
50x32x50	50
50x40x50	50
63x40x63	30
63x50x63	30



### MAX PPR-C End Cap

Size / Type (mm)	Packing (unit)
20	1200
25	600
32	480
40	180
50	90
63	50



### MAX PPR-C Bridge

Size / Type (mm)	Packing (unit)
20	160
25	80
32	40



# MAXPIPE

## PPR-C Pipes & Fittings

### MAX PPR-C Blind Plug

Size / Type (mm)	Packing (unit)
20	1200
25	800
32	420



### MAX PPR-C Single Clamp

Size / Type (mm)	Packing (unit)
20	1200
25	800
32	600



### MAX PPR-C Elbow (Female Threaded)

Size / Type (mm)	Packing (unit)
20x1/2"	120
20x3/4"	120
25x1/2"	100
25x3/4"	100
32x3/4"	50
32x1"	40



### MAX PPR-C Elbow (Male Threaded)

Size / Type (mm)	Packing (unit)
20x1/2"	120
20x3/4"	120
25x1/2"	100
25x3/4"	100
32x3/4"	50
32x1"	40



### MAX PPR-C Tee Round (Female Threaded)

Size / Type (mm)	Packing (unit)
20x1/2"	100
20x3/4"	80
25x1/2"	80
25x3/4"	80
32x3/4"	35
32x1"	35



### MAX PPR-C Tee Round (Male Threaded)

Size / Type (mm)	Packing (unit)
20x1/2"	100
20x3/4"	80
25x1/2"	80
25x3/4"	80
32x3/4"	30
32x1"	30



# MAXPIPE

## PPR-C Pipes & Fittings

### MAX PPR-C Union (Female Threaded)

Size / Type (mm)	Packing (unit)
20x1/2"	120
20x3/4"	120
25x1/2"	120
25x3/4"	120
32x3/4"	60
32x1"	60



### MAX PPR-C Union (Male Threaded)

Size / Type (mm)	Packing (unit)
20x1/2"	120
20x3/4"	120
25x1/2"	120
25x3/4"	120
32x3/4"	50
32x1"	50



### MAX PPR-C Battery Connection

Size / Type (mm)	Packing (unit)
20x1/2"	100
25x1/2"	100



### MAX PPR-C Double Battery Connection

Size / Type (mm)	Packing (unit)
20x1/2"	54
25x1/2"	48



### MAX PPR-C Moveable Head Union (Female Threaded)

Size / Type (mm)	Package (unit)
20x1/2"	180
25x1/2"	120
32x1"	60



### MAX PPR-C Moveable Head Union (Male Threaded)

Size / Type (mm)	Package (unit)
20x1/2"	180
25x1/2"	120
32x1"	50



# MAXPIPE

## PPR-C Pipes & Fittings

### MAX PPR-C Butterfly Valve



Size / Type (mm)	Packing (unit)
20	80
25	80
32	50

### MAX PPR-C Lux Chromium Valve



Size / Type (mm)	Packing (unit)
20	50
25	40
32	30

### MAX PPR-C Ball Valve



Size / Type (mm)	Packing (unit)
20	60
25	60
32	30

### MAX PPR-C Ball Valve With Filter



Size / Type (mm)	Packing (unit)
20	30
25	30

### MAX PPR-C Moveable Elbow



Size / Type (mm)	Packing (unit)
20	200
25	150

### MAX PPR-C Moveable Union



Size / Type (mm)	Packing (unit)
20	200
25	200

# MAXPIPE

## PPR-C Pipes & Fittings

### MAX PPR-C Moveable Head Plastic Union (Female Threaded)



Size / Type (mm)	Packing (unit)
20x1/2"	100
25x3/4"	80
32x1"	60

### MAX PPR-C Moveable Head Plastic Union (Male Threaded)



Size / Type (mm)	Packing (unit)
20x1/2"	100
25x3/4"	80
32x1"	60

### MAX PPR-C Welding Machine



Property (mm)	Packing (unit)
1500 Watt	1

### MAX PPR-C Test Pump (Manuel)



Property (mm)	Packing (unit)
0-60 Bar	1

# MAXPIPE

## *PE Ratchet Sprinkler Irrigation Pipes & Fittings*



# MAXPIPE

## PE Ratchet Sprinkler Irrigation Pipes & Fittings

### MAX Ratchet Pipes

Size / Type (mm)	Lenght (m)
75	5
90	5
110	5
125	5
140	5
160	5



### MAX Ratchet Pipes

Size / Type (mm)	Lenght (m)
75	6
90	6
110	6
125	6
140	6
160	6



### MAX Ratchet Abot Adaptor

Size / Type (mm)	Packing (unit)
50	1
63	1
75	1
90	1
110	1



### MAX Line Valve

Size / Type (mm)	Packing (unit)
75	1
90	1
110	1



### MAX Ratchet Reducer

Size / Type (mm)	Packing (unit)
90/75	1
110/75	1
110/90	1
125/75	1
125/90	1
125/110	1
140/75	1
140/90	1
140/110	1
140/125	1
160/75	1
160/90	1
160/110	1
160/125	1
160/140	1



### MAX Spring

Size / Type (mm)	Packing (unit)
3/4"	1



# MAXPIPE

## PE Ratchet Sprinkler Irrigation Pipes & Fittings

### MAX Valve

Size / Type (mm)	Packing (unit)
32x25 Male	1
32x25 Female	1



### MAX Extension Pipes

Size / Type (mm)	Packing (unit)
32/25	1
32/3	1
32/50	1
32/60	1
32/100	1



### MAX PPRC Ratchet Cross Piece

Size / Type (mm)	Packing (unit)
75-75	1
90-75	1
90-90	1
110-75	1
110-90	1
110-110	1
125-75	1
125-90	1
125-110	1
125-125	1
140-75	1
140-90	1
140-110	1
140-125	1
140-140	1
160-75	1
160-90	1
160-110	1
160-125	1
160-140	1
160-160	1



### MAX Ratchet Tee

Size / Type (mm)	Packing (unit)
75-75	1
90-75	1
90-90	1
110-75	1
110-90	1
110-110	1
125-75	1
125-90	1
125-110	1
125-125	1
140-75	1
140-90	1
140-110	1
140-125	1
140-140	1
160-75	1
160-90	1
160-110	1
160-125	1
160-140	1
160-160	1





# MAXPIPE

## U - PVC Pressure Clean Water Pipes

DIAMETER			6 PN		10 PN		16 PN	
Inner Diameter (mm)	Outside Diameter (mm)	Inch (es)	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)	
15	20	1/2					1,5	
20	25	3/4			1,5		1,9	
25	32	1			1,8		2,4	
32	40	1 1/4	1,8		1,9		3,0	
40	50	1 1/2	1,8		2,4		3,7	
50	63	2	1,9		3,0		4,7	
65	75	2 1/2	2,2		3,6		5,6	
80	90	3	2,7		4,3		6,7	
100	110	4	3,2		5,3		8,2	
110	125	4 1/2	3,7		6,0		9,3	
125	140	5	4,1		6,7		10,4	
150	160	6	4,7		7,7		11,9	
170	180	6 1/2	5,3		8,6		13,4	
175	200	7	5,9		9,6		14,9	
200	225	8	6,6		10,8		16,7	
225	250	9	7,3		11,9		18,6	
250	280	10	8,2		13,4		20,8	
300	315	12	9,2		15,0		23,4	
350	355	14	10,4		16,9		26,3	
400	400	16	11,7		19,1		29,7	

(DIN) 8061-8062



# MAXPIPE

## PE 100

### Polyethylene Pipes



# MAXPIPE

## PE 100 Polyethylene Pipes

DIAMETER	SDR 41 S 20 PN 4	SDR 33 S 16 PN 5	SDR 26 S 12,5 PN 6	SDR 21 S 10 PN 8	SDR 17 S 8 PN 10	SDR 13,6 S 63,3 PN 12,5	SDR 11 S 5 PN 16	SDR 9 S 4 PN 20	SDR 7,4 S 3,2 PN 25
Outside Diameter	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)	Wall thickness (mm)
20							2,0	2,3	3,0
25						2,0	2,3	3,0	3,5
32					2,0	2,4	3,0	3,6	4,4
40				2,0	2,4	3,0	3,7	4,5	5,5
50			2,0	2,4	3,0	3,7	4,6	5,6	6,9
63			2,5	3,0	3,8	4,7	5,8	7,1	8,6
75			2,9	3,6	4,5	5,6	6,8	8,4	10,3
90			3,5	4,3	5,4	6,7	8,2	10,1	12,3
110			4,2	5,3	6,6	8,1	10,0	12,3	15,1
125			4,8	6,0	7,4	9,2	11,4	14,0	17,1
140			5,4	6,7	8,3	10,3	12,7	15,7	19,2
160			6,2	7,7	9,5	11,8	14,6	17,9	21,9
180			6,9	8,6	10,7	13,3	16,4	20,1	24,6
200			7,7	9,6	11,9	14,7	18,2	22,4	27,4
225			8,6	10,8	13,4	16,6	20,5	25,2	30,8
250			9,6	11,9	14,8	18,4	22,7	27,9	34,2
280			10,7	13,4	16,6	20,6	25,4	31,3	38,3
315	7,7	9,7	12,1	15,0	18,7	23,2	28,6	35,2	43,1
355	8,7	10,9	13,6	16,9	21,1	26,1	32,2	39,7	48,5
400	9,8	12,3	15,3	19,1	23,7	29,4	36,3	44,7	54,7
450	11,0	13,8	17,2	21,5	26,7	33,1	40,9	50,3	61,5
500	12,3	15,3	19,1	23,9	29,7	36,8	45,4	55,8	
560	13,7	17,2	21,4	26,7	33,2	41,2	5,8	62,5	
630	15,4	19,3	24,1	30,0	37,4	46,3	57,2	70,3	
710	17,4	21,8	27,2	33,9	42,1	52,2	64,5	79,3	
800	19,6	24,5	30,6	38,1	47,4	58,8	72,6	89,3	



TS EN 12201-2



## FACTORY

Mersin Organized Industrial Zone  
Rüştü Kazım Yücelen Street No: 14  
Tarsus-MERSİN-TURKEY  
Phone: +90 324 676 4406  
Fax : +90 324 676 4091  
Gsm : +90 533 202 1160

## OFFICE

Fatih Street Aksoy Business Center A Block Floor: 3  
Merter / İSTANBUL / TURKEY

[www.maxpipe.com.tr](http://www.maxpipe.com.tr)

# “Aware of its Responsibility”

Authorized Dealer

